

HORIZONTAL LIFELINE SYSTEMS

XSLINKED & LINKEDPRO FOR ROOF, WALL & OVERHEAD

XSPlatforms' horizontal lifeline systems are engineered to fit almost all roof types. With a lifeline system users can work safely without limiting mobility.

XSLinked is our standard lifeline system, which can be used by one or two users. The XSSlider connects a user's lanyard to the horizontal lifeline, and is able to slide through corners and bends. It can be attached to the lifeline with a single action.

The **LinkedPro** roof systems enables the connection of two to six users to one system simultaneously (with maximum of three lifelines). The users are continually secured and enjoy optimum freedom of movement on both sides of the lifelines.



XSBASE PLATE



For installation on concrete, hollow concrete, cellular concrete, plywood and deep deck roof profiles.

XSMD



For installation on trapezoidal cold roof profiles and sandwich panels.

XTRUSION



For installation on standing round seam roof profiles, double fold seam roof profiles and trapezoidal cold roof profiles.


INQUIRE NOW AND DISCOVER THE POSSIBILITIES

UNIQUE SELLING POINTS OF XSPLATFORMS' XSLINKED AND LINKEDPRO SYSTEMS:

- ✓ Installation on almost all roof structures.
- ✓ Multi-route system available with LinkedPro. Different lifeline routes can be installed on the same set of anchor points.
- ✓ Additional safety with XSPoint and XSSlider Pro. With these components users cannot disconnect from the system in an unsafe zone.
- ✓ Users can pass each other without disconnecting with the LinkedPro multi-lifeline system.
- ✓ System calculation via online calculation tool, ODIN. All calculations are done automatically to ensure full compliance with the applicable standards.

COMPONENTS OF A LINKEDPRO SYSTEM*

- | | |
|--------------------------|----------------------------|
| 1. XSIntermediate | 9. XSCable |
| 2. Spacer 50 | 10. XSSlider Pro |
| 3. XSIntermediate Pro | 11. XSEdge 90° Pro (outer) |
| 4. Spacer 75 | 12. XSEdge 90° |
| 5. XSBending kit Pro | 13. XSEdge 90° Pro (Inner) |
| 6. XSBase plate | 14. XSPoint (clip) |
| 7. XSTensioner II hold | 15. XSPoint (hold) |
| 8. XSTensioner II (clip) | |



LINKEDPRO SETUP ON WALLS



LINKEDPRO SETUP ON OVERHEAD

PROTECTING THE ROOF STRUCTURE WITH XSPLATFORMS' SHOCK ABSORBERS

XS BENDING KIT PRO

This bends in the direction of the fall to absorb the shock. This way, the XS Bending kit Pro protects users and at the same time prevents damage to the surface of the roof.



XSDYNAMIC KIT

The XSDynamic can provide even more absorption by increasing the deflection of the lifeline.



CERTIFICATIONS

Our horizontal lifeline systems XSLinked and Linked Pro are designed to meet the requirements of the following standards:

- ✓ ANSI Z359 (Fall Protection Code) and OSHA 1926.502.M:2011 (North America)
- ✓ CSA Z259.16-15:2017 (Canada)

Furthermore the corrosion resistance of all XSPlatforms fall protection products is tested according to ISO 9227:2012.



INTERESTED?

Would you like to know more about our horizontal lifeline systems and its possibilities? Or would you like to receive a quote?

Feel free to contact our XSPlatforms' certified partner at any time, they will be happy to help you.

ALTITUDO d.o.o.
Dalmatinska 107/16 ,
11050 Beograd-Zvezdara

+38160 47 606 44
www.altitudo.rs
office@altitudo.rs